★CROSSBORDER INTERNATIONAL AB, SWEDEN★



2020 SELECTION



OUR PRODUCTS



THE LIFESTYLE SHOWER



THE ONLY EUROPEAN INFLATABLE SPA BRAND







EXCLUSIVE PACKAGE SOLUTIONS FOR ABOVE GROUND POOL









8



FOR POOL UNTIL 85m³



















FULL INVERTER TECHNOLOGY

Already installed in other markets such as house heating and air conditioning, the Full Inverter technology allows intelligent operation of your heat pump.

Smart Environment LED :



Green:

your heat pump has reached its set temperature

Blue : your pool is being heated

Red :

The heat pump is not in operation

SWIMMING POOL HEAT PUMP

JETINE PREMIUM FULL INVERTER

Technology Full inverter







ONE FULL INVERTER

Technology Full inverter









DREAMLINE PREMIUM FULL INVERTER Technology Full inverter



JETLINE SELECTION FULL INVERTER Technology Full inverter





SILVERLINE FULL INVERTER

Technology Full inverter

















formidra

DADA PIU

SOLAR AND OUTDOOR TECHNOLOGY

DESIGN AND GREAT FINISHES ALUMINUM AND CHROME FINISHES

STRAIGHT OR CURVED DESIGN

> SOLAR OR DOMESTIC HOT WATER SELECTION

> > HANDHELD SHOWER



HYBRID & SOLAR SHOWER

DADA STRAIGHT







| | SPECIFI | CATIONS | |
|-----------|----------|------------|------------|
| Materials | Alumnium | Pedestal | 33 x 14 cm |
| Weight | 25kg | dimensions | |
| Capacity | 40 L | Fixing kit | Included |
| Height | 228cm | Warranty | 2 years |

HYBRID TECHNOLOGY Solar heating + hot water tank

The DADA line not only includes FORMIDRA solar technology but also a hot water inlet from the main supply of the house. This way, you benefit not only from 100% solar hot water, but also from hot water drawn from the domestic supply when necessary.



DADA

HYBRID TECHNOLOGY

40L Outdoor and solar shower

| | SPECIFICATIONS | | |
|-----------|----------------|------------|------------|
| Materials | Aluminum | Pedestal | 33 x 14 cm |
| Weight | 29kg | dimensions | 00 / 11011 |
| Capacity | 40 L | Fixing kit | Included |
| Height | 228cm | Warranty | 2 years |

formidra

OUTDOOR SHOWER

OUTSTANDING DESIGN

READY TO PLUG ON HOT WATER SOURCE


DESIGN AND QUALITY FINISHES

INSPIRATIONS BELLAGIO

4

OUTDOOR SHOWER

BELLAGIO



2 years

Warranty

formidra

A SHOWER FOR EVERY POOL

Formidra So Happy New excusive Formidra design

GARADESTRUM

NEW SOLAR SHOWER

NEW EXCLUSIVE 2020 DESIGN



| SPECIFICATIONS | | | |
|----------------|-----------------|------------|-------------|
| Materials | HD Polyethylene | Pedestal | 24 x 26 cm |
| Weight | 6 kg | dimensions | 21 X 20 011 |
| Capacity | 28 L | Fixing kit | Included |
| Height | 216 cm | Warranty | 2 years |



OUTSTANDING DESIGN



formidra

Formidra Cobra An outstanding design

PLUG & PLAY WITH GARDEN HOSE

PEHD MATERIAL

ECO FRIENDLY SOLAR SHOWER





SOLAR SHOWER



| SPECIFICATIONS | | | |
|---------------------|--------------------------|------------------------|------------|
| Materials Weight | HD Polyethylene 9.5kg | Pedestal dimensions | 30 x 34 cm |
| Capacity | 32 L | Fixing kit | Included |
| Height | 217cm | Warranty | 2 years |

formidra

ECO FRIENDLY SOLAR SHOWER

PEHD MATERIAL

PLUG & PLAY WITH GARDEN HOSE

> **Formidra happy Go** Minimum size but maximum capacity

0

200000100

SOLAR SHOWER

HAPPY GO

FULL EQUIPMENT INCLUDED





PRECISE MIXER





PRESSURE REDUCER

HAPPY





SPECIFICATIONS

| Materials | HD Polyethylene | Pedestal | 26 x 29 cm |
|-----------|-----------------|------------|-------------|
| Weight | 6.5kg | dimensions | 20 x 20 011 |
| Capacity | 23 L | Fixing kit | Included |
| Height | 120cm | Warranty | 2 years |

HAPPY 4X4



| | SPECIFIC | ATIONS | |
|-----------|-----------------|------------|-------------|
| Materials | HD Polyethylene | Pedestal | 26 x 29 cm |
| Weight | 7.5kg | dimensions | 20 x 23 611 |
| Capacity | 44 L | Fixing kit | Included |
| Height | 229 cm | Warranty | 2 years |



SPECIFICATIONS

| Materials | |
|-----------|--|
| Weight | |
| Capacity | |
| Height | |

| | птопо |
|-----------------|------------|
| HD Polyethylene | Pedestal |
| 5.5kg | dimensions |
| 251 | Fixing kit |
| 216 cm | Warranty |
| 2.0 0 | |

| 24 x 26 cm |
|------------|
| Included |
| 2 years |

formidra

ADJUSTABLE HEAD

PRECISE MIXER

FOOT RINSE

3

U

(

GU

ECO FRIENDLY SOLAR SHOWER

ALUMINUM MATERIAL

PLUG & PLAY WITH GARDEN HOSE

FULLY EQUIPPED

(E

EL



SOLAR SHOWER



SPRING

JOLLY GO



| SPECIFICATIONS | | | | | |
|----------------|------------|--|-----------|--|------------|
| | Aluminum | | Materials | | Aluminum |
| | 11.5kg | | Weight | | 7.5kg |
| | 30 L | | Capacity | | 16L |
| | 228cm | | Height | | 120cm |
| | 26 x 12 cm | | Pedestal | | 16 x 18 cm |

| Weight | 7.5kg |
|------------------------|------------|
| Capacity | 16L |
| Height | 120cm |
| Pedestal dimensions | 16 x 18 cm |
| Fixing kit | Included |
| Warranty | 2 years |





Included

2 years



HIGH END PORTABLE SPA

TRIPLE FUNCTION RELAXATION / HEATING / FILTRATION

EASY & FAST INSTALLATION BUILT-IN INFLATOR

100% SECURITY SPA COVER WITH LOCKERS / ELECTRICAL 10MA PROTECTION

٩

Netspa Octopus De luxe 6 persons spa

DISCOVER OUR DEDICATED SPA FURNITURES FOR OCTOGONAL AND ROUND SEMIRIGID SPA





NETSPA

SEMI-RIGID SPA



OCTOPUS



| Capacity | 6 persons |
|-----------------|--|
| External dim. | Ø193 x 70 cm |
| Internal dim. | Ø165 x 70 cm |
| Volume of water | 950 litres |
| Air nozzles | 110 |
| Heating | 1500W |
| Liner | Int.: perl PVC 0.6mm Ext.:laminated PVC 0.8mm |



VITA



| Capacity | 4 persons |
|-----------------|--|
| Dimensions | Ø156 x 70 cm |
| Internal dim. | Ø140 x 70 cm |
| Volume of water | 800 litres |
| Air nozzles | 110 |
| Heating | 1500W |
| Liner | Int.: perl PVC 0.6mm Ext.:laminated PVC 0.8mm |





VITA PREMIUM

| Capacity | 4+2 persons |
|-----------------|--|
| Dimensions | Ø184 x 73 cm |
| Internal dim. | Ø160 x 73 cm |
| Volume of water | 1100 litres |
| Air nozzles | 88 |
| Heating | 2000W |
| Liner | Int.: perl PVC 0.6mm Ext.:laminated PVC 0.8mm |

INCLUDED ACCESSORIES





Anti-bacterial filter cartridge 21





Insulated inflatable cover

- HINNIN'

Electric socket 10mA protection



DOUBLE SKIN INFLATABLE SPA SIMILI-LEATHER COVER

TRIPLE FUNCTION RELAXATION / HEATING / FILTRATION

100% SECURITY SPA COVER WITH LOCKERS / ELECTRICAL 10mA PROTECTION

EASY & FAST INSTALLATION BUILT-IN INFLATOR

Netspa Python De luxe 5-6 person spa



PYTHON



PREMIUM INFLATABLE SPA

Air nozzles Heating

Liner





| Capacity | 4 persons |
|-----------------|---------------------|
| External dim. | L168 x W168 x H70cm |
| Internal dim. | L125 x W125 x H70cm |
| Volume of water | 700 litres |
| Air nozzles | 110 |

1500W

Int.: perl PVC 0.6mm







PYTHON



| Capacity | 5/6 persons |
|-----------------|----------------------|
| External dim. | L195 x W195 x H70cm |
| Internal dim. | L155 x W155 x H70cm |
| Volume of water | 850 litres |
| Air nozzles | 130 |
| Heating | 1500W |
| Liner | Int.: perl PVC 0.6mm |



BOA



| Capacity | 5/6 persons |
|-----------------|--|
| External dim. | Ø195 x H70cm |
| Internal dim. | Ø152 x H70cm |
| Volume of water | 800 litres |
| Air nozzles | 130 |
| Heating | 1500W |
| Liner | Int.: perl PVC 0.6mm Ext.:laminated PVC 0.8mm |
| | |



INCLUDED ACCESSORIES



Insulated cover



Electric socket 10mA protection



1 anti-bacterial filter cartridge



Netspa Aspen 4-person spa

al and a set of the later of

LA

Е

Ν



INFLATABLE SPA







| Capacity | 4 persons | | |
|-----------------|--|--|--|
| External dim. | L168 x W168 x H70cm | | |
| Internal dim. | L128 x W128 x H70cm | | |
| Volume of water | 700 litres | | |
| Air nozzles | 110 | | |
| Heating | 1500W | | |
| Liner | Int.: perl PVC 0.6mm Ext.:laminated PVC 0.8mm | | |






MONTANA **||4| ||6**

| Capacity | 4 persons | 6 persons | |
|-----------------|--|-------------|--|
| External dim. | Ø175 x H70cm | Ø204 x 70cm | |
| Internal dim. | Ø130 x H70cm Ø160 | | |
| Volume of water | 700 litres | 930L | |
| Air nozzles | 110 130 | | |
| Heating | 1500W | | |
| Liner | Int.: perl PVC 0.6mm Ext.:laminated PVC 0.8mm | | |



SILVER







INCLUDED ACCESSORIES









Electric socket 10mA protection

1 filter cartridge



Insulated cover and base

Poolstar



POOLEX NANO ACTION

Heat pump dedicated to small pools

ADVANTAGES

ULTRA COMPACT DESIGN

- COMPATIBLE WITH ALL ABOVE GROUND SWIMMING POOL
 - TRANSPORTABLE (18KG)
 - ULTRA SILENT
 - ECONOMIC
 - SECURISED ELECTRICAL SYSTEM
 - OPERATING FROM 10°C







PREMIUM PACKAGING



Poolex Nano Action : the heat pump specifically developed for small swimming pools.

With its components as dignified as those of a large heat pump, the Poolex Nano gets a COP similar to high-end heat pumps.

Plug it into a standard electricity supply, and heat your pool in a few hours.

Its unique design combined with the availability of different colours, allows the Poolex Nano to integrate next to any pool

The performance of a Poolex at the best price.

| AC | CCESSORIES INCLUDED |
|----------|--|
| | Maintenance kit |
| | PVC connectors Ø 32-38m |
| THE REAL | Electrical socket with 10 mA differential protection |

DEDICATED ACCESSORIES


THE NEW GENERATION SWIMMING POOL ROBOT

COYOTE *Autonomous* & *wireless*

111111111



- AUTOMATIC ELECTRIC CLEANER Batterie Li-ion 6600mAh integrated
- IDEAL TO CLEAN THE BOTTOM OF THE POOL Speed 18m/min on a flat ground
- AUTOMATIC FONCTIONNING 120 min cycle and low battery detection system
- CHANGE IN DIRECTION when detecting an obstacle
- HIGH FILTRATION CAPACITY 10-11m³/h
- FLOATING HANDLE for easy water removal



ACCESSORIES INCLUDED

Included accessories :

- AC charger 230V 50Hz
- User Manual
- Washable filter
- Removal robe
- Floating handle

| up to 120 min |
|------------------------|
| 6600mAh |
| 50W / 12V |
| 10-11m ³ /h |
| 150µm |
| 18m/min |
| 5.5kg |
| |

| Operating temperature | 10°C - 35°C | |
|-----------------------|--------------|--|
| Loading time | 6h (full) | |
| | 3-4h (quick) | |
| Dimensions | 40x36x27cm | |
| Surface | Flat | |
| IP Index | IPX8 | |
| | | |



SPECIFICATIONS

| Input | 220-240V | Maximum operating pressure (bar/psi) < 0.2 / 3 | |
|---------------------------|----------|--|-----------------------------|
| Maximum water flow (m³/h) | 3.03 | Filtration area (m²/ft²) | 0.058 / 0.62 |
| Power | 60W | Maximum water temperature (c °) 35 | |
| Packaging dimensions (cm) | 37x37x47 | Recommended use | Quartz or glass sand No. 20 |
| Dimensions (cm) | 37x34x58 | Recommended amount of sand (kg) | 10 |
| Weight net / brut (kg) | 5.5/6.7 | Coefficient homogène de grain | > 1.75 |
| | | Certification | CE |

HIGH PURITY WATER SYSTEM

High performance polymer filter for any sand filter



ABOVE GROUND POOL

VARILINE Variable speed filtration pump





| Power | 1 HP | 1.5 HP | 2 HP | 3 HP |
|------------------------|-----------------------------|--------------------|--------------------|--------------------|
| Max current (A) | 5.5 7 | | 8 | 10 |
| Max flow rate at 10mce | 19m ^{3/h} | 22m ^{3/h} | 24m ^{3/h} | 33m ^{3/h} |
| Electricity supply | Mono 230V - 50Hz | | | |
| Speed range | 450 - 3450RPM | | | |
| connections | 2"x2" 1.5"x1.5" 2"x2" 2"x2' | | | 2"x2' |
| Dimensions (mm) | 605x338x270 | 596x306x270 | 605x270x338 | 605x338x270 |
| compatibility | Main brand | | | |
| warranty | 3 years | | | |









RED STONE

Traditional finnish sauna



FEATURES

SOFT LIGHTING INCLUDES HIGH QUALITY HARVIA STOVE THERMOMETER TRADITIONAL HOURGLASS

100% CANADIAN RED CEDAR





TECHNICAL SPECIFICATIONS

| | 2 PERSONS | 3 PERSONS | 3/4 PERSONS | 4 PERSONS |
|--------------------|---|-----------|----------------|-----------|
| Capacity | 2 persons | 3 persons | 3 to 4 persons | 4 persons |
| Electric stove | Harvia | | | |
| Power | 3500W | 3500W | 4500W | 6000W |
| Electricity supply | Single phase 230V 1N or 3-phase 230V 3N | | | |
| Operating temp. | 60 to 90°C | | | |
| Frame | 100% Red cedar | | | |
| Door | 8mm thick safety glass | | | |
| Handle | Wood | | | |
| Height | 190cm | 190cm | 200cm | 200cm |
| Width | 120cm | 153cm | 150cm | 174cm |
| Depth | 110cm | 110cm | 150cm | 198cm |
| Seat depth | 50cm | 50cm | 43cm | 50cm |
| Wall thickness | 4.5 cm | | | |
| Weight | 126kg | 186kg | 150kg | 232kg |
| Warranty | Electronics 2 years / Woodwork 4 years | | | |

SAUNA



Water Fitness Expert

WATERBIKING WITHOUT SWIMMING POOL

FIT'S POOL

Self-supporting water

- ULTRA COMPACT Floor space 2.5 x 1.84m with ladder and motor

- BLOC UNIT ALL IN 1 4 functions available : Heating / Filtration / Bubble jets / Chromotherapy

- SECURITY AND INSULATION Its insulated cover inflatable secures access and keep the heat.

- EASY ENTRY AND EXIT Thanks to its ergonomic stainless steel ladder and non-skid skates

- **ENLIGHTENED SESSIONS** Chromotherapy by LED




OPTIMIZED VOLUME

1400 kg/m² < 3000 L EASY INSTALLATION



DIGITAL CONTROL





2.50M

1.60M

COMPATIBLE WITH ALL OUR AQUABIKES AND AQUAJOGG

TECHNICAL CHARACTERISTICS

| Quality | Steel structure / Plastic foam / PVC liner | | |
|--------------------|--|--|--|
| Dimensions (outer) | L 184 x I 184 x H128cm | | |
| Water capacity | 2867 L | | |
| Water level | 120 cm | | |
| Net weight | 132 kg | | |
| Power supply | 230V~50Hz / 2070W | | |
| Heater | 2000 W | | |
| Filtration pump | 40 W (1200L/h) | | |
| Air blower | L1 : 400W - L2 : 650W - L3 : 850W | | |
| Warranty: | 2 years (excluding wearing parts) | | |
| Ref | WX-FITSPOOL | | |





WIDE RANGE OF AQUAFITNESS EQUIPEMENTS

FOR COSTUMER AND PROFESSIONAL



DISCOVER OUR FULL RANGE ON WWW.WATERFLEX.FR

Water Fitness Expert

WR3 AIR

New generation of aluminium aquabikes

ULTRA-LIGHT

ALUMINIUM STRUCTURE

less than

ka

DS PEDALS

TWO SPEED

Saddle/Feet/Handleba

ADS PEDALS **TWO SPEED**

can be used

<u>SETTINGS</u>

ADVANTAGES

ALUMINIUM TECH QUALITY EXPRESS WATER DRAINAGE COMFORTABLE FOR USE IN BARE FEET SACRIFICIAL ANODE

INO6 AIR

New generation of aluminium aquabikes

FIXED HYDRAULIC RESISTANCE 6 BLADES

Saddle/Feet/Handlebars

ADVANTAGES

SPORT HANDLEBAR 45° CAN BE USED WITH BARE FEET WIDE RANGE OF ADJUSTMENTS FAST DRAINAGE SACRIFICIAL ANODE FOR SALT WATER LOWER RINGS FOR ELASTIC EXERCISE ROPES

AQUABIKES



11-1-1

<u>.</u> 2

ADVANTAGES

ANODISED ALUMINIUM BAREFOOT USE 'EASY PUSH' OPENING SYSTEM 6 SILICONE ANTI-SCRATCH WHEELS